

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3750	(709/223.ccls. or 709/224.ccls. or 709/225.ccls. or 709/226.ccls.) and (@ad<"20031203" or @rlad<"20031203") and ((node or agent or computer) near4 (distribut\$5 or degree))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 08:40
L3	449	(709/204.ccls.) and (@ad<"20031203" or @rlad<"20031203") and ((node or agent or computer) near4 (distribut\$5 or degree))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 09:33
S1	2	(US-20050125520-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:16
S2	22	(US-20040218582-\$ or US-20040117624-\$ or US-20040081166-\$ or US-20020133617-\$).did. or (US-7013395-\$ or US-7194491-\$ or US-7123587-\$ or US-6598071-\$ or US-5596722-\$ or US-6640248-\$ or US-5515509-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:16
S3	38	(US-20040103211-\$ or US-20040058789-\$ or US-20020032765-\$ or US-20020029268-\$ or US-20050021590-\$ or US-20010027479-\$ or US-20040054807-\$).did. or (US-5839105-\$ or US-6263334-\$ or US-6601049-\$ or US-6490571-\$ or US-6975628-\$ or US-6901453-\$ or US-6760762-\$ or US-6714217-\$ or US-6640239-\$ or US-6618752-\$ or US-6374289-\$ or US-7206289-\$ or US-6839754-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:16
S4	1	S1 and ((system adj topology adj (criterion or criteria)) or (topology near2 (criterion or criteria)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:23

S5	32	(US-20050125520-\$ or US-20040218582-\$ or US-20040117624-\$ or US-20040081166-\$ or US-20020133617-\$ or US-20050021590-\$ or US-20040103211-\$ or US-20040059789-\$ or US-20040054807-\$ or US-20020032765-\$ or US-20020029268-\$ or US-20010027479-\$).did. or (US-7194491-\$ or US-7123587-\$ or US-7013395-\$ or US-6640248-\$ or US-6598071-\$ or US-5596722-\$ or US-5515509-\$ or US-7206289-\$ or US-6975628-\$ or US-6901453-\$ or US-6839754-\$ or US-6760762-\$ or US-6714217-\$ or US-6640239-\$ or US-6618752-\$ or US-6601049-\$ or US-6490571-\$ or US-6374289-\$ or US-6263334-\$ or US-5839105-\$). did.	US-PGPUB; USPAT	AND	ON	2008/04/09 10:43
S6	21	S5 and (density or dense or quality or stability or stable or (path near2 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:43
S7	7	S5 and (dens\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:49
S8	1	S5 and (number near2 path near4 (increas\$4 or "more" or add\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:50
S9	1	S5 and (number near2 path near4 (increas\$4 or "more" or add\$4 or find\$4 or discover \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:50
S10	3	S5 and (number near2 path near6 (increas\$4 or "more" or add\$4 or find\$4 or discover \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:51

S11	25	S5 and topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:51
S12	1	S5 and (recommen\$5 or prompt\$4 or requir\$5 or request\$4) near5 (updat\$4 or chang\$4 or alter\$4 or improv\$5 or modif\$5) near4 (topology or (node near2 (position or location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 12:19
S13	126	@ad< "20031203" and "709"/ \$3.cds. and (recommen\$5 or prompt\$4 or requir\$5 or request\$4) near5 (updat\$4 or chang\$4 or alter\$4 or improv\$5 or modif\$5) near4 (topology or (node near2 (position or location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 12:21
S14	2456	709/204.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 12:21
S15	56	@ad< "20031203" and "709"/ \$3.cds. and (calculat\$5 or determin\$5) near5 (best or optimum or improved) near5 (topology or (node near2 (position or location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 12:58
S16	15	@ad< "20031203" and "709"/ \$3.cds. and (calculat\$5 or determin\$5) near5 (best or optimum or improved) near5 (topology or (node near2 (position or location))) and (transform\$4 or chang\$4 or updat\$4 or alter\$4) near2 (topology or (node near2 (position or location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:03
S17	4	"hanson, james".in. and "whalley, ian".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:06
S18	382	("IBM".as. or "International Business Machines".as.) and topology.dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:07

S19	0	S1 and (approach\$5 near5 (criterion or criteria or condition or goal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:11
S20	1	S1 and (criteria or criterion or state or goal or topology) near5 correspond\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:18
S21	1	S1 and (gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:20
S22	1	S1 and (histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:20
S23	1	S1 and (inter-relationship)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:23
S24	0	S1 and (inter-relationship) same histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:23
S25	10	@ad< "20031203" and "709"/ \$3.cds. node with histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:25
S26	0	@ad< "20031203" and "709"/ \$3.cds. node with histogram with relationship	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:26
S27	1	S1 and relationship with histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:26

S28	35	(US-20050125520-\$ or US-20040218582-\$ or US-20040117624-\$ or US-20040081166-\$ or US-20020133617-\$ or US-20050021590-\$ or US-20040103211-\$ or US-20040059789-\$ or US-20040054807-\$ or US-20020032765-\$ or US-20020029268-\$ or US-20010027479-\$ or US-20050080894-\$ or US-20030105821-\$).did. or (US-7194491-\$ or US-7123587-\$ or US-7013395-\$ or US-6640248-\$ or US-6598071-\$ or US-5596722-\$ or US-5515509-\$ or US-7206289-\$ or US-6975628-\$ or US-6901453-\$ or US-6839754-\$ or US-6760762-\$ or US-6714217-\$ or US-6640239-\$ or US-6618752-\$ or US-6601049-\$ or US-6490571-\$ or US-6374289-\$ or US-6263334-\$ or US-5839105-\$ or US-6882627-\$).did.	US-PGPUB; USPAT	AND	ON	2008/04/09 13:27
S29	1	S28 and (node or agent) with (relationship or connection or connectivity or neighbor) with (chart or histogram or history or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:28
S30	363	@ad< "20031203" and "709"/ \$3.ccls. and (node or agent) with (relationship or connection or connectivity or neighbor) with (chart or histogram or history or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:28
S31	0	@ad< "20031203" and "709"/ \$3.ccls. and (node or agent) near5 (relationship or connection or connectivity or neighbor) near5 histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:29
S32	190	@ad< "20031203" and "709"/ \$3.ccls. and (node or agent) near5 (relationship or connection or connectivity or neighbor) near5 (chart or histogram or history or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:29

S33	10	@ad< "20031203" and "709"/204.ccls. and (node or agent) near5 (relationship or connection or connectivity or neighbor) near5 (chart or histogram or history or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:29
S34	2	@ad< "20031203" and "709"/204.ccls. and (node or agent) near5 (relationship or connection or connectivity or neighbor) near5 (chart or histogram or history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:30
S35	1	@ad< "20031203" and "709"/204.ccls. and (node) near5 (relationship or connection or connectivity or neighbor) near5 (chart or histogram or history or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:30
S36	7	S28 and (route or node or agent) near10 (history or record or past or histo\$5 or profile)	US-PGPUB; USPAT	AND	ON	2008/04/09 13:32
S37	4	S28 and (topology with (criteria or criterion or requirement))	US-PGPUB; USPAT	AND	ON	2008/04/09 13:38
S38	104	@ad< "20031203" and (determin\$5 or calculat\$5) near10 topology near3 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:40
S39	70	@ad< "20031203" and (determin\$5 or calculat\$5) near5 topology near3 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:40
S40	14	@ad< "20031203" and "709"/\$3.ccls. and (determin\$5 or calculat\$5) near5 topology near3 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:40
S41	14	@ad< "20031203" and "709"/\$3.ccls. and (determin\$5 or calculat\$5) near5 topology near3 (type or category)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:42
S42	71	@ad< "20031203" and (determin\$5 or calculat\$5) near5 topology near3 (type or category)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:42

S43	2	"5606664".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:44
S44	8	"5606664".pn. or "5684959".pn. or "5737319".pn. or "5886643".pn. or "5727157".pn. "5684796".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:47
S45	0	S44 and (topology near8 (criteria or criterion or requirement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:52
S46	12	"5606664".pn. or "5684959".pn. or "5737319".pn. or "5886643".pn. or "5727157".pn. "5684796".pn. or "5850397".pn. or "5708772".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:53
S47	2	S46 and (topology near8 (criteria or criterion or requirement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:53
S48	2	S46 and (topology with (criteria or criterion or requirement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:54
S49	2	S46 and (topology same (criteria or criterion or requirement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:54
S50	11	S46 and (topology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:56
S51	1	S46 and (topology near5 (label\$4 or identify\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:57
S52	2662	709/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/02 13:07

S53	4	"hanson, james".in. and "whalley, ian".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/02 13:07
S54	133720	("IBM".as. or "International Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/02 13:08
S55	407	("IBM".as. or "International Business Machines".as.) and topology.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/02 13:08
S56	35	(US-20050125520-\$ or US-20040218582-\$ or US-20040117624-\$ or US-20040081166-\$ or US-20020133617-\$ or US-20050021590-\$ or US-20040103211-\$ or US-20040059789-\$ or US-20040054807-\$ or US-20020032765-\$ or US-20020029268-\$ or US-20010027479-\$ or US-20050080894-\$ or US-20030105821-\$).did. or (US-7194491-\$ or US-7123587-\$ or US-7013395-\$ or US-6640248-\$ or US-6598071-\$ or US-5596722-\$ or US-5515509-\$ or US-7206289-\$ or US-6975628-\$ or US-6901453-\$ or US-6839754-\$ or US-6760762-\$ or US-6714217-\$ or US-6640239-\$ or US-6618752-\$ or US-6601049-\$ or US-6490571-\$ or US-6374289-\$ or US-6263334-\$ or US-5839105-\$ or US-6882627-\$).did.	US-PGPUB; USPAT	OR	ON	2008/09/02 13:08
S57	1	S56 and agent with degree with relationship	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/02 13:08
S59	0	S56 and (agent with degree with relationship) and (connectiv\$5 near3 relation \$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/02 13:09

S60	0	S56 and (agent with degree with relationship) and (connectiv\$5 near3 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/02 13:09
S61	1	S56 and (agent with degree with relationship) and (degree near3 distribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/02 13:10
S62	1	S56 and (agent with degree with relationship) and (degree near3 distribut\$5 with (topology or connectivity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/02 13:11
S63	18	((creat\$5 or transform\$5 or transition\$5 or build\$5 or generat\$5 or design\$5) with ((scale adj free) or (power adj law)) near5 (network or topology))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/02 15:07
S64	188	709/204.ccls. and @pd> "20080424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 10:39
S65	892	"709"/\$3.ccls. and (degree adj distribut\$5) or (scale adj free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 10:59
S66	727	S65 and (@ad< "20031203" or @rlad< "20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/05 10:59
S67	1418	709/204.ccls.	US-PGPUB	AND	ON	2008/09/05 11:20
S68	1028	709/204.ccls. and (@pd> "20031203")	US-PGPUB	AND	ON	2008/09/05 11:21
S69	774	709/204.ccls. and (@ad< "20031203" or @rlad< "20031203")	US-PGPUB	AND	ON	2008/09/05 11:21
S70	7	709/204.ccls. and (degree near3 (distribut\$5 or node))	US-PGPUB	AND	ON	2008/09/05 11:33
S71	0	709/204.ccls. and (agent near3 connectiv\$5 near3 relationship)	US-PGPUB	AND	ON	2008/09/05 11:33
S72	0	709/204.ccls. and ((agent or node) near5 connectiv\$5 near3 relationship)	US-PGPUB	AND	ON	2008/09/05 11:33

S73	0	709/204.ccls. and ((agent or node) near5 connectiv\$5 near5 relationship)	US-PGPUB	AND	ON	2008/09/05 11:33
S74	25754	(IBM.as. or "International Business Machines".as.)	US-PGPUB	AND	ON	2008/09/05 11:34
S75	86	S74 and (degree near3 (distribut\$5 or node))	US-PGPUB	AND	ON	2008/09/05 11:34
S76	4	"Hanson, James".in. and "Whalley, Ian".in.	US-PGPUB	AND	ON	2008/09/05 11:38
S77	5923	(709/223.ccls.) and (@ad<"20031203" or @rlad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:08
S78	6236	(709/224.ccls.) and (@ad<"20031203" or @rlad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:08
S79	2924	(709/225.ccls.) and (@ad<"20031203" or @rlad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:08
S80	2759	(709/226.ccls.) and (@ad<"20031203" or @rlad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:09
S81	14558	(709/223.ccls. or 709/224.ccls. or 709/225.ccls. or 709/226.ccls.) and (@ad<"20031203" or @rlad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:09
S82	888	(709/223.ccls.) and (@ad<"20031203" or @rlad<"20031203") and (degree or node or agent) near5 (distribut\$5 or connectiv\$5 or relationship)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:39
S83	846	(709/224.ccls.) and (@ad<"20031203" or @rlad<"20031203") and (degree or node or agent) near5 (distribut\$5 or connectiv\$5 or relationship)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:39
S84	318	(709/225.ccls.) and (@ad<"20031203" or @rlad<"20031203") and (degree or node or agent) near5 (distribut\$5 or connectiv\$5 or relationship)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:58

S85	200	709/226.ccls. and @pd> "20080424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/08 11:41
S86	182	709/225.ccls. and @pd> "20080424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/08 12:31
S87	455	(709/226.ccls.) and (@ad< "20031203" or @rlad< "20031203") and (degree or node or agent) near5 (distribut\$5 or connectiv\$5 or relationship)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:31
S88	533	709/224.ccls. and @pd> "20080424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/08 13:12
S89	446	709/223.ccls. and @pd> "20080424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/08 13:28
S90	2023	(709/223.ccls. or 709/224. ccls. or 709/225.ccls. or 709/226.ccls.) and (@ad< "20031203" or @rlad< "20031203") and (degree or node or agent) near5 (distribut\$5 or connectiv\$5 or relationship)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:09
S91	5	(709/223.ccls. or 709/224. ccls. or 709/225.ccls. or 709/226.ccls.) and (@ad< "20031203" or @rlad< "20031203") and (scale adj free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:31

9/ 9/ 2008 9:44:40 AM

C:\Documents and Settings\jmacilwinen\My Documents\EAST\Workspaces\726724 - RCE and
Amendment After RCE.wsp